

Fig 1.

Relative
amount
of
terminated
fragment






Fig 2.



201050" 60364860

Fig 3.



1. The first part of the report, "Introduction", discusses the importance of the study and the objectives of the research.





Fig 5.



[illegible]

ddATP	11	22	33	12	13	23
33	0.6180	0.5899	0.5680	0.6178	0.6158	0.6149
100	0.4337	0.3294	0.2753	0.4095	0.3773	0.3135
300	0.2147	0.1100	0.0655	0.1658	0.1434	0.0847

L2 norm	1	2	3	1+2	1+3	2+3
1	0.000	0.151	0.223	0.055	0.091	0.177
2	0.151	0.000	0.073	0.102	0.064	0.039
3	0.223	0.073	0.000	0.175	0.137	0.064
1+2	0.055	0.102	0.175	0.000	0.039	0.126
1+3	0.091	0.064	0.137	0.039	0.000	0.087
2+3	0.177	0.039	0.064	0.126	0.087	0.000

ddATP	12	(11+22)/2	13	(11+33)/2	23	(22+33)/2
33	0.6178	0.6039	0.6158	0.5930	0.6149	0.5789
100	0.4095	0.3816	0.3773	0.3545	0.3135	0.3024
300	0.1658	0.1623	0.1434	0.1401	0.0847	0.0877